



Instruments for modern veterinary medicine.



Veterinary instruments

Veterinary instruments


The large Riester product-range offers many different possibilities for use in the veterinary clinics and practice. Functionality and quality are our main focus. Further products of our complete product range which are suitable for veterinary use are in our brochures for stethoscopes, head lamps, head mirrors, diagnostic lamps, laryngoscopes, uni®/econom®, pen-scope® and ri-scope® L. We are pleased to send you these brochures on request.

Otoscopes



Accessories





- Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp. No. 10542
- Swivel lens with 2.5-fold magnification.
- Moveable, slotted speculum holder can be locked in any position.
- Open design for unhindered use during examination and operation.
- Bayonet fitting for fast and secure attachment to the handle.
- All-metal operation otoscope for a long service life.
- Fast exchange of lamp at the front of the otoscope.

Reusable specula

for ri-scope® Operation otoscope (veterinary)

- High quality model made of chrome-plated, corrosion-free metal.
- Disinfection and sterilisation can be carried out in the normal way.
- Matt inner surfaces reduce the risk of reflections during examinations.
- Slotted models: Optimum instrument guide provided by special edges on opening.

Metal specula Ø 4 mm, 83 mm long No. 10881 Pack of 1 Ø 5 mm, 62 mm long No. 10880 Pack of 1 Ø 6 mm, 82 mm long No. 10882 Pack of 1 Metal specula, slotted

HL 2.5 V XL 3.5 V

No. 10541

Ø 7.5 mm, 68 mm long No. 10883 Pack of 1 Ø 9.4 mm, 92 mm long

No. 10884 Pack of 1



Reusable specula

for ri-scope® O.P. otoscope (for small animals)

- Sturdy and durable plastic specula with metal attachment for repeat use.
- Sterilisation at 134° C for 10 minutes in steam sterilizer possible.
- Various sizes available: 2 mm, 3 mm, 4 mm, 5 mm and 9 mm.
- The 9 mm speculum is suitable as a nasal speculum.
- Particulars of respective size on each speculum.
- Supplied in a poly-bag.

Ear specula Ø 2 mm	
No. 10460	Pack of 1
Ø 3 mm No. 10461	Pack of 1
Ø 4 mm No. 10462	Pack of 1
Ø 5 mm No. 10463	Pack of 1
Nasal specula Ø 9 mm	Deals of 1
No. 10464	Pack of 1



ri-scope® F.O. tongue blade holder No. 10534 HL 2.5 V No. 10535 XL 3.5 V • Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp. • High quality fibre-optics light wave conductor for an optimum light beam and transmission of light. In combination with the lamp this provides cool examination light similar to daylight, very pleasant for the patient. • Slide attachment for fixing and detaching wooden tongue depressors for a firm hold. • Bayonet fitting for fast and secure attachment to the handle. Sturdy, very light casing made of ABS plastic for a long service life. • Simple exchange of the lamp at the base of the instrument head. No. 10536 HL 2.5 V ri-scope® F.O. nasal speculum No. 10537 XL 3.5 V • Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp. High quality fibre-optics light wave conductor for an optimum light beam and transmission of light. In combination with the lamp this provides cool examination light similar to daylight, very pleasant for the patient. • Swivel and removable lens with 2.5-fold magnification. · Slow and controlled expansion of the speculum by turning on the screw adjuster, fast expansion by pressing down on the screw adjuster. Bayonet fitting for fast and secure attachment to the handle. Impact resistant casing made of glass-fibre reinforced plastic. • Simple exchange of the lamp at the base of the instrument head. No. 10568 HL 2,5 V ri-scope® L Ophthalmoscope L1 No. 10569 XL 3,5 V • Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp. • Easy-to-operate aperture hand-wheel with semi-circle, small/medium/large circle fixation star, slit and red-free fi-Iter with contrast-enhancing effect • Optimized high-performance optics with aspherical condenser lens Apertures und Filter I 1 Parallel beam path Dust-proof ed-free filter | Slit | Fixation star | Large edium circle | Small circle | Semi circle

Nasal speculum



ri-scope® L Ophthalmoscope



 D+
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 12
 15
 20
 40

 D 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 12
 15
 20
 40

 D 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 15
 20
 25
 30
 35

Corrective lenses from +40 through -35 diopters guarantee a sharp picture, even in cases of especially severe refraction anomalies.

Handles

Battery handle, Type C with rheostat



for alkaline battery, Li-ion battery and NiMH battery **No. 10670**

for Li batteries No. 10630

Battery handle, Type AA with rheostat



for alkaline battery, Li-ion battery and NiMH battery No. 10642

> for Li batteries No. 10643

Plug-in handle with rheostat





120V No. 10639

Sets

Reliable sets for veterinary use. The basic sets delivered without batteries, ri-accu® and ri-charger®. These accessories are shown under each respective art. no. and must be ordered separately. Due to the variety of possible instrument combinations, we show only a portion of all the instrument options in set form. For more detailed product information please contact us, we are pleased to send your the necessary vet I Otoscope, information.

- the 2,5 V instruments are equipped with HL halogen lamps and the 3.5V instruments with XL Xenon lamps.
- All sets are supplied in a deluxe hard case with safety catches.
- Thanks to the bayonet fi tting it is easy to replace the instrument heads.

Battery handle, Type C

Battery handle, Type AA

Plug-in handle with rheostat

with rheostat

with rheostat



suitable for larger animals

(veterinary)

• Metal specula:

One spare lamp.

ri-scope® Operation otoscope

- diameter 4 mm, 83 mm long,

- diameter 5 mm, 62 mm long,

- diameter 6 mm, 82 mm long.

- diameter 9.4 mm, 92 mm long.

• + Metal specula, slotted:

vet I Otoscope /Ophthal. suitable for larger anima ri-scope® Operationotosc (veterinary), ri-scope® L Ophthalmosco • Metal specula:

- diameter 4 mm, 83 mr - diameter 5 mm, 62 mm
- diameter 6 mm, 82 mm
- diameter 7.5 mm, 68 mm long, + Metal specula, slotted
 - diameter 7.5 mm, 68 r
 - diameter 9.4 mm, 92 r

• Two spare lamps.

for alkaline batteries, Tyj ri-accu® 2.5 V NiMH Li-ion battery ri-accu® I for Li-battery 3.5 V	No.3850	for alkaline batteries, Type ri-accu® 2.5 V NiMH No Li-ion battery ri-accu® L 3 No for Li-battery 3.5 V No
for alkaline batteries, Tyj ri-accu® 2.5 V NiMH Li-ion battery ri-accu® I for Li-battery 3.5 V	No.3853	for alkaline batteries, Type ri-accu® 2.5 V NiMH No Li-ion battery ri-accu® L 3 No for Li-battery 3.5 V No
Li-ion battery ri-accu® 230 V Li-ion battery ri-accu® 120 V	No.3856	Li-ion battery ri-accu® L 3 230 V Ni Li-ion battery ri-accu® L 3 120 V Ni

e /Ophthal., arger animals prationotoscope phthalmoscope L1 la: mm, 83 mm long, mm, 62 mm long, mm, 82 mm long. cula, slotted: .5 mm, 68 mm long, .4 mm, 92 mm long. mps.	 vet de luxe I, suitable for larger animals ri-scope® Operation otoscope (veterinary), ri-scope® L Ophthalmoscope L1, ri-scope® tongue depressor holders, ri-scope® F.O. Nasal speculum Metal specula: diameter 4 mm, 83 mm long, diameter 5 mm, 62 mm long, diameter 6 mm, 82 mm long. + Metal specula, slotted: diameter 7.5 mm, 68 mm long, diameter 9.4 mm, 92 mm long. three spare lamps.
teries, Type C or	for alkaline batteries, Type C or
' NiMH No.3858	ri-accu® 2.5 V NiMH No.3866
i-accu® L 3.5 V	Li-ion battery ri-accu® L 3.5 V
No.3859	No.3867
5.5 V No.3860	for Li-battery 3.5 V No.3868
teries, Type C or	for alkaline batteries, Type C or
′ NiMH No.3861	ri-accu® 2.5 V NiMH No.3869
i-accu® L 3.5 V	Li-ion battery ri-accu® L 3.5 V

No.3861	ri-accu® 2.5 V NiMH	No.3869
. 3.5 V	Li-ion battery ri-accu®	L 3.5 V
No.3862		No.3870
No.3863	for Li-battery 3.5 V	No.3871
_ 3.5 V	Li-ion battery ri-accu®	L 3.5 V
No.3864	230 V	No.3872
_ 3.5 V	Li-ion battery ri-accu®	L 3.5 V
No.3865	120 V	No.3873

Batteries, Accus and Charging bases

Batteries:	Alkaline battery Li battery Type	/ Type C (2 pcs.) C/AA (2 pcs.)			0686 for 2.5 V 1287 for 3.5 V	Alkaline batteries Type AA (2 p	ocs.)	No. 10685 for 2,5 V
Li-ior	H Battery ri-accu n battery ri-accu l battery ri-accu®		march	No. 1		NiMH Battery ri-accu® type A Li-ion battery ri-accu® L type AA		No. 10685 for 2.5 V No. 10690 for 3.5 V
Charging ba	ses: ri-charger	® for NiMH Accus	3		0700 for 230V 0701 for 120V	ri-charger® L for Li-ion Accus		No. 10705 for 230V No. 10706 for 120V
Spare	lamps		_					
Spare I	•	HL 2.5 V Pack (of 6	•	No. 10602	XL 3.5 V Pack of 6	No. 106	09
	toscope:	HL 2.5 V Pack of HL 2.5 V Pack of			No. 10602 No. 10600	XL 3.5 V Pack of 6 XL 3.5 V Pack of 6	No. 106 No. 106	



1800 67 5432 1800 67 5433 Stamp of deale ⊠ sales@ecomed.com.au www.ecomed.com.au

Rudolf Riester GmbH & Co. KG Postfach 35 • DE-72417 Jungingen Germany Tel.: +49 (0)74 77/92 70-0 Fax: +49 (0)74 77/92 70-70 info@riester.de www.riester.de

Subject to alterations